

Hole_ID	Collar Information						Grade Summary					
	Easting	Northing	Elevation	Depth	Azimuth	Dip	From (m)	To (m)	Int (m)	Au (ppb)	Ag (ppm)	High Au
SN19-01	654914	5523713	1358	425.00	60	-50	89.0	180.0	91.0	6,168	22.5	178,000
including							89.0	99.0	10.0	1,828	5.1	1,945
including							89.0	92.0	3.0	4,647	10.9	6,200
including							120.0	121.0	1.0	1,050	2.9	1,050
including							128.0	134.0	6.0	574	2.7	1,170
including							131.0	132.0	1.0	1,170	3.6	1,170
including							146.0	147.0	1.0	1,525	8.6	1,525
including							151.0	177.0	26.0	20,091	71.1	178,000
including							154.3	167.0	12.7	39,312	133.1	178,000
and							194.0	196.0	2.0	1,105	9.9	1,105
SN19-02	654946	5523684	1354	389.00	60	-50	97.9	189.0	91.1	1,168	9.9	31,400
including							117.5	125.0	7.5	1,699	9.1	5,340
including							130.1	148.0	17.9	3,695	32.6	31,400
including							136.3	145.0	8.7	6,435	55.1	31,400
including							140.0	141.0	1.0	31,400	191.0	31,400
including							173.0	176.0	3.0	2,797	8.8	13,650
including							174.9	175.4	0.5	13,650	36.5	13,650
SN19-03	654995	5523824	1370	401.00	60	-50	44.0	63.0	19.0	575	2.7	2,710
including							44.0	46.0	2.0	2,360	13.6	2,700
and							89.9	97.0	7.1	660	1.4	3,520
including							92.0	93.0	1.0	3,520	2.9	3,520
SN19-04	654857	5523629	1336	317.00	60	-50	245.3	282.0	36.7	700	6.5	4,980
including							246.3	266.5	20.3	1,020	10.0	4,980
including							251.0	255.0	4.0	2,524	31.2	4,980
including							271.3	272.3	1.0	1,775	3.5	1,775
SN19-05	654855	5523805	1362	455.00	60	-50	128.0	139.8	11.8	745	17.1	2,650
including							131.0	132.0	1.0	1,850	137.0	1,850
including							138.0	139.8	1.8	2,650	19.4	2,650
and							152.6	200.0	47.4	1,849	9.3	47,600
including							156.0	169.0	13.0	4,758	22.4	47,600
including							161.5	163.1	1.5	32,951	131.9	47,600
including							173.7	174.6	0.9	14,900	57.7	14,900
including							184.0	184.8	0.8	4,560	8.0	4,560
and							212.0	346.0	134.0	602	3.0	14,500
including							261.0	262.0	1.0	5,870	3.7	5,870
including							292.0	294.0	2.0	7,020	3.9	7,020
including							307.0	314.0	7.0	2,783	29.8	14,500
including							311.0	312.0	1.0	14,500	191.0	14,500
including							342.0	344.8	2.8	2,799	3.4	8,210
including							342.0	343.7	1.6	4,749	5.8	8,210
and							388.3	396.2	7.9	324	2.6	4,360
SN19-06	654936	5523629	1345	419.00	60	-50	148.0	238.0	90.0	2,132	8.8	44,900
including							166.0	197.0	31.0	2,876	19.9	14,050
including							172.0	176.0	4.0	2,155	14.0	3,030
including							181.0	193.0	12.0	5,537	36.6	14,050
including							196.0	197.0	1.0	3,360	9.6	3,360
including							234.0	236.0	2.0	44,900	45.4	44,900
SN19-07	654938	5523625	1347	335.00	75	-50	232.0	245.0	13.0	1,063	3.1	2,060
including							234.0	240.6	6.6	1,555	3.4	2,060
SN19-08	655080	5523645	1335	290.00	60	-50	-	-	-	-	-	14
SN19-09	654876	5523757	1359	512.00	60	-50	109.4	161.8	52.4	467	4.0	4,920
including							151.0	161.8	10.8	1,250	9.1	4,920
including							160.0	161.8	1.8	4,740	29.3	4,920
and							181.3	181.5	0.3	6,060	106.0	6,060
and							272.9	350.0	77.1	281	1.0	4,670
including							337.3	340.2	3.0	1,888	3.1	4,670
SN19-10	654914	5523836	1368	503.00	60	-50	70.0	332.0	262.0	1,546	5.6	73,200
including							83.6	101.0	17.4	1,966	6.5	4,810
including							83.6	90.0	6.4	3,106	9.3	4,810

Hole_ID	Collar Information						Grade Summary					
	Easting	Northing	Elevation	Depth	Azimuth	Dip	From (m)	To (m)	Int (m)	Au (ppb)	Ag (ppm)	High Au
including							95.0	98.0	3.0	2,628	6.0	3,640
including							115.3	121.7	6.5	6,806	23.1	39,500
including							116.0	116.5	0.5	39,500	54.1	39,500
including							120.9	121.7	0.8	21,500	132.0	21,500
including							200.0	202.0	2.0	6,570	2.9	6,570
including							246.0	298.2	52.2	5,127	17.3	73,200
including							246.0	271.6	25.6	8,502	6.1	73,200
SN19-11	654831	5523835	1358	416.00	60	-50	89.0	155.5	66.5	9,092	10.0	557,000
including							117.0	120.0	3.0	188,409	131.4	557,000
including							117.0	118.0	1.0	557,000	381.0	557,000
including							138.2	155.5	17.3	2,099	11.7	7,700
including							146.3	155.5	9.3	2,919	15.5	7,700
and							168.0	330.0	162.0	412	1.5	2,050
including							232.0	247.0	15.0	1,014	1.8	1,470
including							232.0	242.0	10.0	1,280	2.0	1,470
and							370.0	372.0	2.0	2,280	22.8	2,280
and							399.7	400.3	0.6	3,450	26.7	3,450
SN19-12	654828	5523787	1350	470.00	60	-50	126.0	351.0	225.0	792	3.1	19,200
including							178.8	179.5	0.7	8,390	58.6	8,390
including							227.0	264.0	37.0	1,124	3.1	8,100
including							256.0	258.0	2.0	8,100	20.7	8,100
including							276.0	320.0	44.0	1,479	5.4	8,160
including							308.0	311.0	3.0	8,160	24.2	8,160
including							337.0	344.0	7.0	4,100	4.5	19,200
including							343.0	344.0	1.0	19,200	17.1	19,200
and							360.7	361.5	0.8	2,340	17.0	2,340
and							385.0	385.5	0.5	6,030	33.2	6,030
and							411.8	412.3	0.6	3,640	25.7	3,640
SN19-13	654954	5523743	1357	338.00	60	-54	69.0	142.0	73.0	1,003	13.5	9,030
including							74.0	89.1	15.1	839	3.9	5,690
including							92.7	118.0	25.3	1,907	31.7	9,030
including							93.5	97.0	3.5	3,638	14.9	7,560
including							105.0	118.0	13.0	2,436	53.5	9,030
SN19-14	654977	5523862	1376	449.00	60	-50	121.7	169.2	47.4	499	2.2	3,630
including							145.0	147.0	2.0	3,630	15.6	3,630
and							193.4	242.0	48.7	618	2.3	11,850
including							201.0	203.0	2.0	5,710	12.8	5,710
including							228.4	229.2	0.8	11,850	28.4	11,850
SN19-15	654859	5523861	1364	434.00	60	-50	94.8	343.0	248.2	1,377	5.5	109,000
including							122.0	152.0	30.0	4,325	26.0	109,000
including							122.0	135.5	13.5	8,471	52.1	109,000
including							194.0	198.0	4.0	6,425	3.1	9,510
including							253.6	266.0	12.5	5,836	12.2	24,700
including							253.6	254.8	1.2	23,400	48.9	23,400
including							261.0	266.0	5.0	8,432	17.0	24,700
including							300.9	303.2	2.3	6,418	10.9	8,950
including							322.6	325.5	2.9	2,941	3.3	3,980
and							368.3	378.0	9.7	6,982	52.2	36,800
including							370.9	378.0	7.1	9,423	69.4	36,800
SN19-16	654753	5523909	1339	446.00	60	-45	109.0	332.0	223.0	280	1.3	7,240
including							111.0	116.0	5.0	2,454	11.5	3,470
including							225.7	227.0	1.3	7,240	4.5	7,240
including							265.4	265.8	0.4	4,250	31.3	4,250
and							356.0	357.0	1.0	5,740	2.9	5,740
and							359.9	360.5	0.6	3,540	14.4	3,540
and							375.3	375.8	0.5	2,310	21.5	2,310
and							390.2	390.6	0.4	2,040	14.7	2,040
SN19-17	654844	5523912	1359	415.70	60	-50	74.0	143.0	69.0	753	3.1	3,870
including							92.0	138.7	46.7	987	3.3	3,870

Hole_ID	Collar Information						Grade Summary					
	Easting	Northing	Elevation	Depth	Azimuth	Dip	From (m)	To (m)	Int (m)	Au (ppb)	Ag (ppm)	High Au
including							134.0	138.7	4.7	2,590	4.1	3,870
and							224.0	322.0	98.0	246	1.0	1,470
including							233.0	235.0	2.0	1,285	1.7	1,470
and							343.0	366.6	23.6	772	5.3	9,920
including							343.9	346.2	2.3	3,045	24.7	3,045
including							365.9	366.6	0.7	9,920	65.4	9,920
SN19-18	654771	5523868	1341	440.00	60	-50	143.0	342.1	199.1	453	1.2	3,790
including							143.0	162.0	19.0	1,195	3.1	3,790
including							191.0	226.0	35.0	793	1.1	3,500
and							377.5	381.5	4.0	386	6.1	854
SN19-19	654917	5523883	1375	482.00	60	-50	49.0	63.2	14.2	15,658	22.4	188,500
including							59.0	63.2	4.2	52,455	70.6	188,500
and							73.5	300.0	226.5	715	3.7	21,500
including							101.0	111.0	10.0	1,347	4.0	3,820
including							205.0	266.0	61.0	1,424	6.7	21,500
including							235.0	248.0	13.0	1,591	7.0	5,210
including							257.0	262.0	5.0	7,610	34.5	21,500
SN19-20	654796	5523940	1347	437.00	60	-48	53.0	76.4	23.4	768	3.5	3,350
including							59.7	63.0	3.3	2,411	7.9	3,350
and							146.0	183.0	37.0	436	1.2	2,030
including							160.5	173.0	12.5	1,000	1.8	2,030
and							200.0	278.0	78.0	346	1.2	4,380
including							203.0	205.0	2.0	3,560	3.3	4,380
and							340.0	344.0	4.0	1,409	4.7	2,040
SN19-21	654790	5523762	1340	503.00	60	-50	187.0	400.0	213.0	721	4.5	24,300
including							206.5	223.0	16.5	4,485	35.0	24,300
including							206.5	218.9	12.4	5,749	44.6	24,300
including							312.0	314.0	2.0	5,930	4.3	5,930
including							360.0	365.0	5.0	1,259	4.3	2,240
SN19-22	655062	5523519	1320	489.00	60	-50	221.0	236.8	15.8	256	1.1	645
SN19-23	654744	5523792	1336	497.00	60	-50	203.0	204.6	1.6	775	3.6	1,060
SN19-24	654886	5523593	1338	506.00	60	-50	353.0	360.0	7.0	142	1.3	183
SN19-25	654661	5523922	1334	500.00	60	-50	133.0	196.0	63.0	396	1.1	2,490
including							167.0	171.2	4.2	1,610	4.0	2,490
SN19-26	654860	5523685	1341	473.00	60	-50	148.0	241.0	93.0	1,301	13.4	24,600
including							197.0	239.8	42.8	2,632	27.8	24,600
including							201.5	216.9	15.5	4,804	61.2	24,600
including							209.0	211.2	2.2	21,044	321.8	24,600
including							219.7	222.7	3.0	4,003	25.5	6,170
including							231.0	232.0	1.0	7,030	57.6	7,030
SN19-27	654634	5524015	1340	426.72	60	-50	92.0	121.4	29.4	212	0.5	1,015
including							106.7	107.3	0.6	1,015	1.6	1,015
and							178.9	275.0	96.1	248	1.1	1,800
including							259.0	261.0	2.0	1,800	5.0	1,800
and							346.6	350.1	3.4	405	9.9	857
SN19-28	655096	5523541	1319	431.00	60	-50	-	-	-	-	-	20
SN19-29	654581	5524047	1344	408.13	60	-48	131.0	132.9	1.9	1,875	11.1	1,875
SN19-30	654742	5523732	1332	491.00	60	-50	209.0	211.0	2.0	1,155	0.6	1,155
and							246.5	247.0	0.5	1,280	4.0	1,280
and							281.0	292.2	11.2	880	10.7	2,980
including							281.0	284.7	3.7	1,905	23.6	2,980
SN19-31	654473	5524103	1376	322.46	60	-50	101.3	126.0	24.7	219	1.6	1,045
including							103.9	104.9	0.9	1,045	5.4	1,045
SN19-32	654765	5523229	1302	352.00	60	-50	-	-	-	-	-	20
SN19-33	654969	5523922	1380	451.10	60	-50	110.6	215.0	104.4	822	5.3	13,950
including							110.6	111.1	0.5	8,420	6.5	8,420
including							163.6	171.3	7.7	2,093	16.4	4,720
including							181.0	187.3	6.3	6,700	43.3	13,950
SN19-34	654908	5523320	1308	401.00	60	-50	-	-	-	-	-	115

Hole_ID	Collar Information						Grade Summary					
	Easting	Northing	Elevation	Depth	Azimuth	Dip	From (m)	To (m)	Int (m)	Au (ppb)	Ag (ppm)	High Au
SN19-35	654959	5523800	1367	504.14	60	-51	43.0	178.0	135.0	231	1.7	1,895
including							88.0	89.0	1.0	1,895	4.1	1,895
including							104.0	105.0	1.0	1,855	5.1	1,855
and							282.0	292.0	10.0	1,246	1.8	8,040
including							288.0	292.0	4.0	2,852	2.1	8,040
including							291.0	292.0	1.0	8,040	3.8	8,040
and							331.0	361.9	30.9	457	1.9	2,980
including							334.0	337.0	3.0	1,857	12.0	2,980
including							384.5	387.0	2.5	5,220	14.0	5,220
SN19-36	655142	5523430	1291	578.00	60	-50	-	-	-	-	-	91
SN19-37	654967	5523740	1357	465.73	60	-47	64.9	114.0	49.1	1,446	6.2	12,550
including							97.0	104.0	7.0	5,448	19.9	12,550
SN19-38	654766	5523696	1330	557.00	60	-50	179.0	182.0	3.0	3,750	14.1	3,750
and							298.9	317.0	18.1	3,988	34.2	30,900
including							301.0	306.0	5.0	13,895	105.6	30,900
and							323.4	324.1	0.7	3,590	2.3	3,590
and							421.7	428.0	6.3	271	7.0	942
SN19-39	654333	5524137	1396	374.95	60	-50	133.0	139.0	6.0	136	7.1	209
SN19-40	655204	5523484	1295	551.00	60	-50	280.0	283.0	3.0	213	41.7	440
SN19-41	654260	5524204	1409	441.96	60	-50	-	-	-	-	-	159
SN19-42	655317	5523541	1293	356.19	60	-50	-	-	-	-	-	11
SN19-43	654118	5524245	1400	423.67	60	-50	196.9	203.9	7.0	130	14.6	143
SN19-44	655359	5523443	1281	460.24	60	-50	237.6	238.0	0.4	455	0.1	455
SN19-45	655286	5523419	1280	462.50	60	-50	-	-	-	-	-	57
SN19-46	654456	5522703	1247	505.00	60	-50	-	-	-	-	-	27
SN19-47	653981	5522777	1250	529.74	60	-50	-	-	-	-	-	31
SN19-48	654529	5522281	1216	599.50	60	-50	-	-	-	-	-	21
SN19-49	654924	5523960	1380	417.58	60	-50	107.3	259.0	151.7	189	1.2	1,145
including							189.3	199.0	9.7	482	2.0	1,145
including							192.0	193.4	1.4	1,145	3.5	1,145